

Ex-3312/D/E27/2x24-Z14

Ex Light fitting with protection guard brass max. 200W 230V E27, IP66/67







Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	10031254
Type	Ex-3312/D/E27/2x24-Z14
Material	Brass
Globe colour	Clear
Material guard	Brass
Power^	max. 200 W
Voltage	230 V
Voltage max. (V)	250 V
Type of Voltage	AC
Frequence	50/60 Hz
Protection class	IP66 / IP67
Operational areas	Explosion protection, Outdoor
Temp. range min	-40 °C
Temp. range max	55 °C
Lampholder	E27
Number of lampholder	1 ST
Lightsource	variable (E27)
Lightsource incl.	No
Type of cable gland	M24x1,5 Z 14 / 12-14,5mm
Material cable gland	Brass
Using for cable gland	
Type of cable	armoured
Ø cable diameter min	12 mm
Ø cable diameter max	14,5 mm
Mounting	Upside down, Surface mounting, Ceiling

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice

Approval	IECEx TUR 15.0022X, TÜV 14 ATEX 7567 X
Marking	II2D Ex tbIIIC T85...T200°C Db, II 2G Ex de IIC T6...T3 Gb
Explosion Groups	IIC
Temp.-class	max. T6
Zone	21, 1
External dimensions LxWxH	244x255x310mm
Weight	14,25 kg
Tariff number	94051990

Remarks:

Light fittings with protection guard,
brass, 3312, up to T6, max. 200W, IP66/67
Ignition protection: de
Explosion protection:
II 2G Ex de IIC T6...T3 Gb
II 2D Ex tb IIIC T85°C...T200°C Db
Zone: 1
Certificates: TÜV 14 ATEX 7567 X
IECEx TUR 15.0022X
Lampholder: E27
Lamp: incandescent lamp up to 200W;
Fluorescent lamp up to 25W; blendend
lamp up to 160W; LED lamps up to 18W
(not included in delivery)
2 cable glands M24x1,5-Z14 -O-


Spare parts

SP-3351/Gew	22000419
SP-1974/BRS Lampholder E27	22000420
SP-DH 6 Rotary lever	22000421
SP-IPS 6-5 Inner hexagonal key 5mm	22000422

21.10.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice