

SPIRALED Leslie G125 E27 DIM 3.2W 180lm 919 Gold

Article number: 145017

BAI spiraled Leslie Globe G125 E27 3.2W 1900K Gold 180lm (18W) Dimmable 230V-240V CRI90-100 270° 125x180mm DECO LED Filament lamp

In 2016, Bailey Lights revolutionized the LED light source industry with an LED version of the original carbon filament bulb. The Spiraled® lamps are proof that the atmosphere and appearance of this beloved lamp can be perfectly imitated. The curled LED filaments ensure that the LED light bulb, in addition to light, brings a lot of atmosphere. Over the years, the series has been expanded and it is one of the most successful series of decorative LED lamps in the professional market. Spiraled lamps last much longer than incandescent and halogen lamps and use less energy. In addition, these lamps are dimmable on an approved LED dimmer. Spiraled® is a protected brand name.



General ETIM properties

ETIM group	Lamps
ETIM class	LED-lamp/Multi-LED
Name	SPIRALED Leslie G125 E27 DIM 3.2W 180lm 919 Gold
Brand	Bailey
Productseries	Spiraled
Producttype	Leslie G125

Bailey Electric & Electronics bv | Everdenberg 21 | 4902 TT Oosterhout | nl | +31 (0)162 52 24 46 | info@bailey.nl

All rights reserved. We reserve the right to change designs and technical specifications of our products.s

SPIRALED Leslie G125 E27 DIM 3.2W 180lm 919 Gold

Article number: 145017

ETIM specifications

Socket	E27
Luminous flux [lm]	180 - 180
Nominal voltage [V]	220 - 240
Lamp power [W]	3.2 - 3.2
Colour temperature [K]	1900 - 1900
Diameter [mm]	125
Length [mm]	180
Dimmable	Yes
Lamp shape	Round/globe
Beam angle [°]	270 - 270
Colour	Gold
Type of glass/cover	Clear
Lamp designation	Other
Colour rendering index CRI	90-100
Voltage type	AC
Filament lamp	Yes
Rated luminous flux according to IEC 62612 [lm]	180
Power factor	0.8
Lamp efficacy [lm/W]	56
Nominal current [mA]	16 - 16
Colour of light according to EN 12464-1	Warm white < 3300 K
Housing colour	Colourless
Average nominal lifetime [h]	15000
Degree of protection (IP)	IP20
Min. number of switching cycles	15000
Weighted energy consumption in 1000 hours [kWh]	4
Remote operation possible	No
With movement sensor	No
With remote control	No
Photobiological safety according to EN 62471	RG0
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No
Suitable for electronic ballast	No
Suitable for magnetic ballast	No
Dimming phase cut-off (trailing edge)	Yes
Dimming phase cut-on (leading edge)	Yes
Dimming Touch and Dim	No
Dimming Zigbee	No
Dimming Bluetooth	No

Bailey Electric & Electronics bv | Everdenberg 21 | 4902 TT Oosterhout | nl | +31 (0)162 52 24 46 | info@bailey.nl

All rights reserved. We reserve the right to change designs and technical specifications of our products.s

Dimming Wi-Fi	No
Energy efficiency class according to EU regulation 2019/2015	Not required
With twilight switch	No
Material of light bulb	Glass

Alternative articles



144340

SPIRALED Basic G125 E27 DIM 4W (25W) 250lm 819 Gold



145015

SPIRALED William G95 E27 DIM 3.2W 180lm 919 Gold

Complementary articles



145621

Tradim 631042 LED Foot Slide Dimmer 1-70W Black



139691

Retro Lampholder Alu E27 Gold Antique

Predecessor



80100039074

SPIRALED Leslie G125 E27 4W 160lm 922 Gold DIM

All rights reserved. We reserve the right to change designs and technical specifications of our products.s