

TL5 Circular 2GX13 40W 2400lm 830

Article number: 146256

BEE TL5 Circular 2GX13 18x305mm 40W 2400lm 3000K Fluorescent lamp

This TL5 Circular is extremely suitable for use in flat luminaires. Areas of application: Public buildings. Offices. Restaurants. Industry. Stores. Hotels. Supermarkets and department stores.

General ETIM properties

ETIM group	Lamps
ETIM class	Fluorescent lamp
Name	TL5 Circular 2GX13 40W 2400lm 830
Brand	Bailey
Productseries	Fluorescent
Producttype	Circline

All rights reserved. We reserve the right to change designs and technical specifications of our products.s

ETIM specifications

Socket	2GX13
Lamp power [W]	40
Length [mm]	305
Tube diameter [mm]	18
Colour temperature [K]	3000
Colour of light	830
Lamp shape	Ring
Lamp efficacy [lm/W]	82.5
Colour rendering index CRI	80-89
Colour of light according to EN 12464-1	Warm white < 3300 K
Luminous flux [lm]	2400
Ring diameter [mm]	0
Internal reflector	No
Beam angle [°]	360
Colour	White
Application	General
Splitter protection	No
Ignition strip	No
Fast ignition	Yes
Starterless operation	No
Full spectrum lamp	No
Suitable for explosion proof luminaires	No
Suitable for emergency lighting	No
Double-walled	No
For application at low temperatures	No
Weighted energy consumption in 1000 hours [kWh]	41
Average nominal lifetime [h]	12000
Lamp designation	Other
Energy efficiency class according to EU regulation 2019/2015	A

Alternative articles



146565

LED Circular T5 2GX13 21.5W (40W/55W) 33V 2900lm 830



146943

LED Driver for LED T5 Circular DR DALI-P -30/220-240/700

All rights reserved. We reserve the right to change designs and technical specifications of our products.s

Complementary articles



146905
BJB 26.732.8201.50 Lampholder 2GX13 Plug-in



146045
TCI MBQ 242/2 EVSA Multi 137962/242

All rights reserved. We reserve the right to change designs and technical specifications of our products.s